



The "Africa" 4-stroke range, born from monitoring and Yamaha's long experience, has been specially developed to meet the extreme conditions of use. Power and reliability are the hallmarks of this range of engines in a field where Yamaha is the reference brand.

## F115BETX/FL115BETX



TECHNICAL CHARACTERISTICS	F115BETX	FL115BETX
<b>MOTOR</b>		
Engine Type	In-line 4	In-line 4
Ignition System	Electronic ignition (TCI)	Electronic ignition (TCI)
Reduction ratio	10.0 :1	10.0 :1
Start-up	Electric with Prime Start™	Electric with Prime Start™
Power system	Electronic Injection (EFI)	Electronic Injection (EFI)
Lubrication system	Unleaded	Unleaded
Fuel consumption (L/h-tr/min)	38.9 L/h @5800 r/min	38.9 L/h @5800 r/min
Fuel	Wet Sump	Wet Sump
Full throttle operating range (tr/min)	5300-6300	5300-6300
Max.Prop Shaft Horsepower (Kw)	84.6 (115 hp)	84.6 (115 hp)
Bore x Stroke (mm)	81.0 X 88.9	81.0 X 88.9
Architecture	L4	L4
Displacement (cc)	1832	1832
<b>MORE</b>		
Propeller Rotation	Clockwise	Counter Clockwise
Alternator	35 A	35 A
Control	Remote Control	Remote Control
<b>DIMENSIONS</b>		
Dry weight with propeller (kg)	185	179
Engine transom height (mm)	X : 643 (25.3 inch)	X : 643 (25.3 inch)
Oil capacity (L)	3.2 L / 3.0 L	3.2 L / 3.0 L
<b>EQUIPMENTS</b>		
Service kit assy.	✓	✓
Remocon Control	✓	✓
Panel Switch	✓	✓
Ride, Guide Kit Twin	-	✓
Multi Display	✓	-
<b>REGULAR PROPELLER (3 blades)</b>		
Material	STEEL	STEEL
Diameter	13	13

Always wear a helmet, eye protection and protective proper clothing.  
CICA encourages you to ride safely with responsible manners that comply with all laws while respecting the environment.

